

VSA
vault structures australia



Vault Structures Australia provide high quality security equipment for the security industry. **Worldwide.**

www.vaultstructures.com.au

TYPE 1 ARMOURY



VSA concrete panels are manufactured of a combination of concrete products and security fibres enclosed within a metal frame.

The panels are designed to fit together on site to create the walls, roof and floor of the vault. Only electrostatic materials are used. Welds are coated to ensure there is no material degradation. VSA's manufacturing methods meet the strict requirements of Underwriters Laboratory Safety Standards, UL608 Class 2.

VSA's 178mm thick concrete modular panel carry UL608 Class 2 certification and offer 1 hour protection from attack. VSA's UL608 Class 2 panels meet all the requirements set out in the

Defence Security Manual for Type 1 armouries. Coordinated with your architects, designers and engineers throughout the design and fabrication process VSA's team of engineers can design the armoury to any size and height.

Delivery and installation by an experienced VSA team to provide a start to finish solution for your armoury.

The VSA Type 1 armoury is fitted with a VSA Thor III UL608 Class 2 Door.

TYPE 2 ARMOURY



▼ VSA concrete panels are manufactured of a combination of concrete products and security fibres enclosed within a metal frame.

The panels are designed to fit together on site to create the walls, roof and floor of the vault. Only electrostatic materials are used. Welds are coated to ensure there is no material degradation. VSA's manufacturing methods meet the strict requirements of Underwriters Laboratory Safety Standards, UL608 Class 1.

VSA's 127mm thick concrete modular panel carry UL608 Class 1 certification and offer 1/2 hour protection from attack. VSA's UL608 Class 1 panels meet all the requirements set out in the

Defence Security Manual for Type 2 armouries. Coordinated with your architects, designers and engineers throughout the design and fabrication process VSA's team of engineers can design the armoury to any size and height.

Delivery and installation by an experienced VSA team to provide a start to finish solution for your armoury.

The VSA Type 1 armoury is fitted with a VSA Thor III UL608 Class 2 Door.

THOR III UL608 CLASS 2 DOOR

The VSA Thor III Door meets all requirements of the Defence Security Manual for an armoury door.

The Thor III is designed to protect against attack for 1 hour and comes with UL608 Class 2 certification. It's finished with a satin smooth fine grained stainless steel.



The VSA Thor III Door is fitted with your choice of Manifoil MK4, Kaba Mas X-09 or S&G 2740 lock. The Thor III door can be manufactured to any size and in left or right hand opening.

THE THOR III DOOR COMES WITH THE FOLLOWING:

- A micro switch monitoring the state of the locking mechanism position, door mechanism and within the door, monitoring the state of the access panel position.
- A GM560 seismic detector complete with GMXPO mounting plate spot-welded to the door fabric within the door.
- The cable for the seismic and micro switches will be routed between the door and frame through the hinge.
- A mechanical bell is for use in emergencies.
- A heavy duty door stop.



TRANSPORTABLE ARMOURIES



▼ Vault Structures Australia has used the latest in vault technology to develop the transportable armoury. Using the VSA lightweight VISION panels we have been able to develop a transportable armoury for greater security in remote areas. The VSA VISION panel carry UL608 Class 1 and Class 2 Certification and is fitted with a VSA Thor III UL608 Class 2 Door.

The fit out of the vault can be designed to suit the customer's needs.

Optional extras can include:

1. Roller Shutter with server
2. Lighting and Alarm systems
3. Gun shelving and racking.
4. Ground containment system.
5. Remote power generation.

The VSA portable armoury can carry up to 16 tones of payload.

*Awaiting DSA approval.



275 GRANGE ROAD FINDON SA
PH 1300 VAULTS (828 587)
FAX 08 8347 3400
EMAIL SALES@VAULTSTRUCTURES.COM.AU

WWW.VAULTSTRUCTURES.COM.AU